



! WARNING! DEATH or SERIOUS INJURY can occur if manufacturer's instructions are not followed correctly.

E-Z-ON® Adjustable Vest Model #103Z *for School Buses*



- 103Z Vests XXS-M come with crotch straps meeting NHTSA guidelines
- Portable crotch or sewn straps are available to order for larger vests
- **Do not** use a bus seatbelt with this vest. Use only E-Z-ON® vests with belt loops and a bus lap-belt if an E-Z-ON® tether mount is used in a school bus.
- Meets FMVSS213.
- Use for a passenger 20-168 lbs. only.
- An E-Z-ON® seat mount or floor mount is needed to install this restraint correctly.
- **Replace** after a crash or 5 years from the date of manufacture.
- **Be sure** to register this restraint to be notified of a safety recall.



E-Z-ON®
Products, Inc. of Florida

605 Commerce Way West • Jupiter, FL 33458

800-323-6598/561-747-6920 • Fax 561-747-8779 • www.ezonpro.com

© 2005 E-Z-ON®

E-Z-ON[®] Adjustable Vest Model #103Z *Installation Guide for School Buses*

1. Place the vest on the child with the parachute logo on the front.
2. Choose one of the 3 zippers that fits the passenger snug. **Be sure** the vest fits secure. **Keep** the hip straps low around the lap area.

If your vest is XXS-M or has a sewn in crotch strap follow the steps below. Otherwise go on to step 7.

3. Bring the crotch straps back through the passenger's legs.
4. Thread each strap through the correct crotch buckle. **Start** through the rear of each top buckle-slot. **Thread** downward.
5. Adjust straps through each buckle to shorten or lengthen the crotch strap. **Adjust** the crotch straps snug, but **not** tight.
6. Back-thread web to lock webbing.







E-Z-ON® 103Z Vest with Seat Mount
Use only for passengers 20-168 lbs.

7. **Secure** the shoulder straps with the shoulder adjusters. **Pull** webbing end through adjuster to reduce slack. **Do not** to pull tight. **This will pull the vest up.** Keep hip straps low around the lap area.
8. **Back-thread** the web ends through the bar-slides to lock.
9. **Attach** mount hooks to the tether slots on the shoulder adjusters and the hip d-rings on the vest.
10. This restraint must be used with an E-Z-ON® mount. **Read** both the mount and vest instructions carefully.

Be sure to register your E-Z-ON® Model 103Z Vest for school buses information on the back.



E-Z-ON®
Floor Mount



These mounts have black hooks that attach to the tether slots on the shoulder adjusters and hip d-rings



10 E-Z-ON® Seat Mount for School Buses only



front



back

E-Z-ON® hook attaches to hip d-rings on the vest



E-Z-ON® hook attaches to tether slots on the shoulder adjuster



How to Register This Child Restraint

Child restraints could be recalled for safety reasons.
You must register this restraint in order to be notified of recall.

Fill out the REGISTRATION CARD enclosed with your E-Z-ON® Vest, send your name address and the restraint model number and manufacturing date to the address below or log on to our website www.ezonpro.com and fill out your product information via our registration page.

For recall information, call the U.S. Government Auto Safety Hotline at 1 (800) 424-9393. In the Washington D.C. area call (202) 366-0123.



E-Z-ON®
Products, Inc. of Florida

605 Commerce Way West • Jupiter, FL 33458
800-323-6598/561-747-6920 • Fax 561-747-8779 • www.ezonpro.com
© 2005 E-Z-ON®